

THIS REPORT CONTAINS ASSESSMENTS OF COMMODITY AND TRADE ISSUES MADE BY  
USDA STAFF AND NOT NECESSARILY STATEMENTS OF OFFICIAL U.S. GOVERNMENT  
POLICY

Voluntary \_ Public

**Date:** 8/14/2017

**GAIN Report Number:** CH 17041

## China - Peoples Republic of

**Post:** Beijing

### China Releases New Draft Standards on Maximum Residue Limits

**Report Categories:**

FAIRS Subject Report

**Approved By:**

Jennifer Clever

**Prepared By:**

FAS Beijing Staff

**Report Highlights:**

On July 20, 2017, China notified the World Trade Organization of draft standards on 421 maximum residue limits (MRLs) for 112 pesticides in foods, as SPS/N/CHN/1054. The deadline for comment submissions is September 18, 2017. The proposed date of entry is yet to be determined. Comments can be sent to China's SPS Enquiry Point at [sps@aqsiq.gov.cn](mailto:sps@aqsiq.gov.cn).

The following report contains an unofficial translation of this draft standard.

## General Information:

**Editors' Note:** The asterisk appearing in the MRL column means that the limit is a temporary MRL. A temporary MRL is usually set under the following four conditions:

1. The dietary risk assessment data is incomplete;
2. The Acceptable Daily Intake (ADI) is temporary (ADI is used as the basis for MRL setting);
3. There is no surveillance or analysis method for the MRL that complies with the standard requirements;
4. In emergency situations, the pesticide is approved to be used on un-registered crops.

## BEGIN TRANSLATION

### Maximum Residue Limits for Pesticides in Food

No.	Names of Pesticide	Crop	MRL mg/kg
1	2,4-D butylate	Sugar cane	0.05
2	2,4-D-ethylhexyl	Wheat	2*
3	Abamectin	Soybean	0.05
		Vegetable soybean	0.05
		Cane shoots	0.1
4	Diethyl aminoethylhexanoate	Soybean	0.05*
		Vegetable soybean	0.05*
5	Chlorothalonil	Potato	0.2
6	Difenoconazole	Pomegranate	0.1
7	Zoxamide	Cucumber	2
8	Pyriproxyfen	Head cabbage	3
9	Pyraflufen-ethyl	Cotton seed	0.1*
10	Imidacloprid	Spinach	5
		Lotus seed (fresh)	0.05
		Lotus root	0.05
11	Pymetrozine	Spinach	15
		Lotus seed (fresh)	0.02
		Lotus root	0.02
12	Pyraclostrobin	Banana	1
		Tea	10
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.5*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.05*
		Poultry meat	0.05*

No.	Names of Pesticide	Crop	MRL mg/kg
		Poultry viscera	0.05*
		Eggs (fresh)	0.05*
		Raw milk	0.03*
13	Propiconazole	Corn	0.05
		Cane shoots	0.05
		Lotus seed (fresh)	0.05
		Lotus root	0.05
		Common cattail	0.05
		Chufa	0.05
		Sagittaria sagittifolia	0.05
		Water chestnut	0.05
		Gorgon euryale	0.05
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.01
		Viscera of mammal animals	0.01
		Poultry meat, expressed with residual amount in fat	0.01
		Poultry fats	0.01
		Eggs (fresh)	0.01
		Raw milk	0.01
14	Glufosinate-ammonium	Cowpea	0.5*
		Meat from mammals (with the exceptions of marine mammal)	0.05*
		Viscera of mammal animals (with the exceptions of marine mammal)	3*
		Poultry meat	0.05*
		Poultry viscera	0.1*
		Eggs (fresh)	0.05*
		Raw milk	0.02*
15	Chlorfenapyr	Mulberry	2
16	Kasugamycin	Watermelon	0.1*
17	Metriam	Ginger	1
18	Mancozeb	Cotton seed	0.5
19	Diquat	Citrus	0.1
		Meat from mammals (with the exceptions of marine mammal)	0.05*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.05*
		Poultry meat	0.05*

No.	Names of Pesticide	Crop	MRL mg/kg
		Poultry viscera	0.05*
		Eggs (fresh)	0.05*
		Raw milk	0.01*
20	Butachlor	Cotton seed	0.2
21	Carbosulfan	Wheat	0.1
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.05
		Viscera of mammal animals (with the exception of marine mammal)	0.05
		Poultry meat	0.05
		Poultry viscera	0.05
		Eggs (fresh)	0.05
22	Coumoxystrobin	Cucumber	0.5*
23	Acetamiprid	Spinach	5
		Lotus seed (fresh)	0.05
		Meat from mammals (with the exceptions of marine mammal)	0.02
		Viscera of mammal animals (with the exceptions of marine mammal)	0.05
		Mammalian fats (with the exception of milk fat)	0.02
		Poultry meat	0.01
		Poultry viscera	0.05
		Eggs (fresh)	0.01
		Raw milk	0.02
24	Boscalid	Rapeseed	2
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.7
		Viscera of mammal animals (with the exceptions of marine mammal)	0.2
		Poultry meat	0.02
		Poultry viscera	0.02
		Poultry fats	0.02
		Eggs (fresh)	0.02
		Raw milk	0.1
25	Picoxystrobin	Grape	1
26	Carbendazim	Lotus seed (fresh)	0.2
		Lotus root	0.2
		Beef	0.05

No.	Names of Pesticide	Crop	MRL mg/kg
		Viscera of mammal animals (with the exceptions of marine mammal)	0.05
		Poultry meat	0.05
		Poultry fats	0.05
		Eggs (fresh)	0.05
		Raw milk	0.05
27	Polyoxins	Grape	10*
28	Famoxadone	Potato	0.5
		Raisin	5
		Meat from mammals (with the exceptions of marine mammal)	0.5*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.5*
		Poultry meat	0.01*
		Poultry viscera	0.01*
		Eggs (fresh)	0.01*
		Raw milk	0.03*
29	Pendimethalin	Potato	0.2
30	Clopyralid	Sugar beet	2
31	Diazinon	Pork, beef, lamb	0.1
		Pork, beef, lamb	2*
		Kidney (pork, beef, lamb)	0.03*
		Liver (pork, beef, lamb)	0.03*
		Chicken	0.02*
		Chicken viscera	0.02*
		Egg	0.02*
		Raw milk	0.02*
32	Dithianon	Watermelon	1*
33	Flurtamone	Wheat	0.05
34	Flubendiamide	Sugar cane	0.2*
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	2
		Viscera of mammal animals (with the exceptions of marine mammal)	1
		Raw milk	0.1
35	Fluopyram	Banana	0.3*
36	Fluazinam	Cucumber	0.3
37	Flusilazole	Citrus	2

No.	Names of Pesticide	Crop	MRL mg/kg
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	1
		Viscera of mammal animals (with the exceptions of marine mammal)	2
		Poultry meat	0.2
		Poultry viscera	0.2
		Eggs (fresh)	0.1
		Raw milk	0.05
38	Fomesafen	Mung bean	0.05
39	Triflumizole	Watermelon	0.2*
40	Flumorph	Tomato	10*
41	Flutolanil	Peanut	0.5
42	Fluxapyroxad	Banana	0.5*
43	Thiram	Mushroom (fresh)	5
44	Ziram	Tomato	5
45	Beta-cyfluthrin	Head cabbage	0.5
46	Beta-cyfluthrin	Potato	0.02
47	Fludioxonil	Grape	2
48	Hexaconazole	Watermelon	0.05
49	Emamectin benzoate	Cane shoots	0.1
		Tea	0.5
		Meat from mammals (with the exceptions of marine mammal)	0.004*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.08*
		Mammalian fats (with the exception of milk fat)	0.02*
		Raw milk	0.002*
50	Thiophanate-methyl	Citrus	3
51	Carbaryl	Tea	5
		Meat from mammals (with the exceptions of marine mammal)	0.05
		Liver (pork, beef, lamb)	1
		Kidney (pork, beef, lamb)	3
		Raw milk	0.05
52	Myclobutanil	Cowpea	2
53	Fenoxaprop-P-ethyl	Barley	0.2
54	Quizalofop-P-ethyl	Potato	0.05
55	Jiangangmycin	Apple	1

No.	Names of Pesticide	Crop	MRL mg/kg
56	Captan	Tomato	5
57	Oxine-copper	Litchi	5*
58	Bifenthrin	Sugar cane	0.05
59	Thiodicarb	Head cabbage	1
60	Chlorantraniliprole	Soybean	0.05*
		Vegetable soybean	2*
61	Prochloraz	Cane shoots	0.1
62	Kresoxim-methyl	Grape	1
63	Azoxystrobin	Lotus seed (fresh)	0.05
		Lotus root	0.05
64	Dazomet	Ginger	2*
65	Bentazone	Potato	0.1
66	Cyromazine	Oyster mushroom	1
67	Ningnanmycin	Cucumber	1*
68	Prometryn	Soybean	0.05
		Vegetable soybean	0.05
69	Metribuzin	Potato	0.2
70	Cyanazine	Sugar cane	0.05
71	Propargite	Mulberry	10
72	Thidiazuron	Apple	0.05*
73	Clothianidin	Tea	10
74	Thiacloprid	Tea	10
75	Thiamethoxam	Potato	0.2
76	Thifluzamide	Peanut kernel	0.3
77	Thiodiazole-copper	Tomato	0.5*
78	Benziothiazolinone	Rice	1*
		Brown rice	0.5*
79	Fosthiazate	Potato	0.1
80	Zinc-thiazole	Peach	1*
81	Phenazine-1-carboxylic acid	Cucumber	0.3*
82	Isopyrazam	Meat from mammals (with the exceptions of marine mammal)	0.01*
		Mammalian fats (with the exception of milk fat)	0.01*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.02*
		Poultry meat	0.01*
		Poultry fats	0.01*

No.	Names of Pesticide	Crop	MRL mg/kg
		Poultry viscera	0.01*
		Eggs (fresh)	0.01*
		Raw milk	0.01*
83	Prothioconazole	Meat from mammals (with the exceptions of marine mammal)	0.01*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.5*
		Raw milk	0.004*
84	Profenofos	Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.05
		Viscera of mammal animals (with the exceptions of marine mammal)	0.05
		Poultry meat	0.05
		Poultry viscera	0.05
		Eggs (fresh)	0.02
		Raw milk	0.01
85	Tebufenozide	Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.05
		Viscera of mammal animals (with the exceptions of marine mammal)	0.02
		Poultry meat	0.02
		Eggs (fresh)	0.02
		Raw milk (with the exception of cow milk)	0.01
		Cow milk	0.05
86	Diflubenzuron	Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.1*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.1*
		Poultry meat, expressed with residual amount in fat	0.05*
		Poultry fats	0.05*
		Eggs (fresh)	0.05*
		Raw milk	0.02*
87	Dichlorvos	Meat from mammals (with the exceptions of marine mammal)	0.01*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.01*
		Mammalian fats (with the exception of milk fat)	0.01*
		Poultry meat	0.01*



No.	Names of Pesticide	Crop	MRL mg/kg
		Poultry viscera	0.01*
		Poultry fats	0.01*
		Eggs (fresh)	0.01*
		Raw milk	0.01*
88	Fenpropimorph	Meat from mammals (with the exceptions of marine mammal)	0.02
		Liver (pork, beef, lamb)	0.3
		Kidney (pork, beef, lamb)	0.05
		Mammalian fats (with the exception of milk fat)	0.01
		Poultry meat	0.01
		Poultry viscera	0.01
		Poultry fats	0.01
		Eggs (fresh)	0.01
		Raw milk	0.01
89	Chlorpyrifos	Beef fat	1
		Lamb fat	1
		Pork fat	0.02
		Pig viscera	0.01
		Viscera of caprinae animals	0.01
		Bovine kidney	0.01
		Bovine liver	0.01
		Poultry meat	0.01
		Poultry fats	0.01
		Poultry viscera	0.01
		Eggs (fresh)	0.01
		Raw milk	0.02
90	Spinosad	Meat from mammals (with the exceptions of marine mammals' meat and beef), expressed with residual amount in fat	2
		Beef fat	3
		Viscera of mammal animals (with the exceptions of marine mammal)(with the exceptions of bovine kidney and bovine live)	0.5
		Bovine kidney	1
		Bovine liver	2
		Poultry meat, expressed with residual amount in fat	0.2
		Eggs (fresh)	0.01
		Raw milk	1

No.	Names of Pesticide	Crop	MRL mg/kg
91	Diphenylamine	Beef	0.01*
		Bovine liver	0.05*
		Bovine kidney	0.01*
		Raw milk	0.01*
92	Dinotefuran	Meat from mammals (with the exceptions of marine mammal)	0.1*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.1*
		Poultry meat	0.02*
		Poultry viscera	0.02*
		Eggs (fresh)	0.02*
		Raw milk	0.1*
93	Fluopicolide	Onion	1*
		Head cabbage	7*
		Brussels sprouts	0.2*
		Brassica vegetables	2*
		Leaf vegetables (with the exception of celery)	30*
		Celery	20*
		Solanaceous vegetables	0.5*
		Gourd vegetables	1*
		Grape	2*
		Raisin	10*
		Dried chili	7*
		Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.01*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.01*
		Poultry meat	0.01*
		Poultry viscera	0.01*
		Eggs (fresh)	0.01*
		Raw milk	0.02*
94	Fipronil	Bovine kidney	0.02
		Bovine liver	0.1
		Poultry meat	0.01
		Poultry viscera	0.02
		Eggs (fresh)	0.02
		Milk	0.02

No.	Names of Pesticide	Crop	MRL mg/kg
95	Sulfoxaflor	Meat from mammals (with the exceptions of marine mammal)	0.3*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.6*
		Mammalian fats (with the exception of milk fat)	0.1*
		Poultry meat	0.1*
		Poultry viscera	0.3*
		Poultry fats	0.03*
		Eggs (fresh)	0.1*
		Raw milk	0.2*
96	Cyfluthrin	Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.2*
		Viscera of mammal animals (with the exceptions of marine mammal)	0.02*
		Poultry meat	0.01*
		Poultry viscera	0.01*
		Eggs (fresh)	0.01*
		Raw milk	0.01*
97	Methamidophos	Meat from mammals (with the exceptions of marine mammal)	0.01
		Viscera of mammal animals (with the exceptions of marine mammal)	0.01
		Poultry meat	0.01
		Poultry viscera	0.01
		Eggs (fresh)	0.01
		Raw milk	0.02
98	Phorate	Meat from mammals (with the exceptions of marine mammal)	0.02
		Viscera of mammal animals (with the exceptions of marine mammal)	0.02
		Poultry meat	0.05
		Eggs (fresh)	0.05
		Raw milk	0.01
99	Chlorpyrifos-methyl	Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.1
		Viscera of mammal animals (with the exceptions of marine mammal)	0.01
		Poultry meat, expressed with residual amount in fat	0.01

No.	Names of Pesticide	Crop	MRL mg/kg
		Poultry fats	0.01
		Poultry viscera	0.01
		Eggs (fresh)	0.01
		Raw milk	0.01
100	Pirimiphos-methyl	Meat from mammals (with the exceptions of marine mammal)	0.01
		Viscera of mammal animals (with the exceptions of marine mammal)	0.01
		Poultry meat	0.01
		Poultry viscera	0.01
		Eggs (fresh)	0.01
		Raw milk	0.01
101	Carbofuran	Meat (beef, lamb, horsemeat, pork)	0.05
		Viscera (cattle, sheep, horse, pig)	0.05
		Fat (cattle, sheep, horse, pig)	0.05
102	Quinoxifen	Meat from mammals (with the exceptions of marine mammal), expressed with residual amount in fat	0.2
		Viscera of mammal animals (with the exceptions of marine mammal)	0.01
		Poultry meat, expressed with residual amount in fat	0.02
		Poultry fats	0.02
		Eggs (fresh)	0.01
		Raw milk	0.01
103	Dimethoate	Meat (beef, lamb, horsemeat, pork)	0.05
		Beef viscera	0.05
		Viscera of caprinae animals	0.05
		Mammalian fats (with the exception of milk fat)	0.05
		Poultry meat	0.05
		Poultry fats	0.05
		Poultry viscera	0.05
		Eggs (fresh)	0.05
		Milk (cow's milk and goat's milk)	0.05
104	Paraquat	Rice	0.05
		Tea	0.2
105	Flutriafol	Soybean	0.4
		Peanut kernel	0.15
		Sweet pepper	1
		Pome fruit	0.3

No.	Names of Pesticide	Crop	MRL mg/kg
		Grape	0.8
		Banana	0.3
		Raisin	2
		Coffee bean	0.15
		Dried chili	10
106	Haloxypop	Coarse cereals (with the exceptions of chickpeas and pea)	3
		Rapeseed	3
		Edible podded pea	0.7
		Leguminous vegetables (with the exceptions of edible podded pea, broad bean and vegetable soybean)	0.5
		Pea (fresh)	1
107	Mandipropamid	Raisin	5*
		Dried chili	10*
108	Propamocarb	Broccoli	0.2
109	Trifloxystrobin	Wheat	0.2
		Barley	0.5
		Corn	0.02
		Peanut kernel	0.02
		Virgin olive oil	0.9
		Refined olive oil	1.2
		Leek	0.7
		Head cabbage	0.5
		Brussels sprouts	0.5
		Cabbage lettuce	15
		Radish leaf	15
		Eggplant	0.7
		Sweet pepper	0.3
		Celery	1
		Asparagus	0.05
		Carrot	0.1
		Radish	0.08
		Citrus fruits (with the exception of citrus)	0.5
		Pome fruit (with the exception of apples)	0.7
		Stone fruits	3
		Strawberry	1
		Olive	0.3
		Carica papaya	0.6

No.	Names of Pesticide	Crop	MRL mg/kg
		Raisin	5
		Nuts	0.02
		Sugar beet	0.05
		Hops	40
110	Spinetoram	Onion	0.8*
		Welsh onion	0.8*
		Brassica vegetables (with the exceptions of broccoli and head cabbage)	0.3*
		Spinach	8*
		Cabbage lettuce	10*
		Leaf lettuce	10*
		Celery	*
			6
		Tomato	0.06*
		Leguminous vegetables (with the exceptions of broad bean, vegetable soybean and cowpea)	0.05*
		Tangerine	0.07*
		Pome fruit	0.05*
		Peach	0.3*
		Nectarine	0.3*
		Blueberry	0.2*
		Rubus idaeus	0.8*
		Grape	0.3*
111	Etoxazole	Nuts	0.01*
		Sugar beet	0.01*
		Cucumber	0.02
		Citrus fruit (with the exception of citrus)	0.1
		Pome fruit (with the exception of apples)	0.07
		Grape	0.5
		Nuts	0.01
		Tea	15
112	Fenpyroximate	Hops	15
		Mint	15
		Solanaceous vegetables	0.2
		Cucumber	0.3
		Citrus fruit(with the exception of citrus)	0.5
		Pome fruit (with the exception of apples)	0.3
		Grape	0.1

<b>No.</b>	<b>Names of Pesticide</b>	<b>Crop</b>	<b>MRL mg/kg</b>
		Raisin	0.3
		Nuts	0.05
		Hops	10
		Dried chili	1

(\*The MRL is the temporary limit.)

**END OF TRANSLATION**