

THIS REPORT CONTAINS ASSESSMENTS OF COMMODITY AND TRADE ISSUES MADE BY USDA STAFF AND NOT NECESSARILY STATEMENTS OF OFFICIAL U.S. GOVERNMENT POLICY

Voluntary Public

Date: 6/6/2018

GAIN Report Number: MO1826

Morocco

Post: Rabat

Veterinary Drug MRLs Established

Report Categories:

FAIRS Subject Report

Sanitary/Phytosanitary/Food Safety

Dairy and Products

Livestock and Products

Poultry and Products

Fishery Products

Honey

SP2 - Prevent or Resolve Barriers to Trade that Hinder

U.S. Food and Agricultural Exports

Approved By:

Morgan Haas

Prepared By:

FAS/Rabat

Report Highlights:

This report contains an unofficial translation of [Order No. 2454-17](#), which on April 19, 2018, established Morocco's maximum residue levels (MRLs) for veterinary drugs. According to the Order, Codex Alimentarius MRLs will apply in the absence of an established level herein while residues listed neither herein nor Codex Alimentarius will be considered non-compliant. This measure has not been notified to the WTO. Morocco's imports of animal products total roughly \$500 million, including up to \$100 million from the United States.

General Information: This report contains an unofficial translation of [Order No. 2454-17](#), which on April 19, 2018, established Morocco's maximum residue levels (MRLs) for veterinary drugs. According to the Order, Codex Alimentarius MRLs will apply in the absence of an established level herein while residues listed neither herein nor Codex Alimentarius will be considered non-compliant. This measure has not been notified to the WTO. Morocco's imports of animal products total roughly \$500 million, including up to \$100 million from the United States.

Joint Order of the Minister of Agriculture, Maritime Fisheries, Rural Development and Waters and Forests and the Minister of Health [No. 2454-17](#) of Joumada II 3, 1439 (February 20, 2018) laying down the authorized maximum residue limits of pharmaceuticals in primary products and food products.

[BO No. 6666 of April 19, 2018, page 1029](#)

MINISTER OF AGRICULTURE, MARITIME FISHERIES, RURAL DEVELOPMENT AND WATERS AND FORESTS;
MINISTER OF HEALTH,

Having regard to [Decree No. 2-10-473 of 7 Chaoual, 1432 \(September 6, 2011\)](#) adopted for the application of certain provisions of [Law No. 28-07 on food safety](#), in particular Article 53 thereof,

ORDER:

FIRST ARTICLE - For the purposes of this Joint Order, the following means:

- **Pharmaceutical product:** any veterinary medicinal product as defined in Article 3 of [Law No. 21-80](#) in the private practice of veterinary medicine, surgery and pharmacy, as it has been modified and completed;
- **Residues of pharmaceutical products:** The active substances and / or their metabolites present in any edible portion of animal or animal products, as well as residues of impurities associated with the pharmaceutical products concerned;
- **Maximum residue limit for pharmaceutical products:** The maximum residue *level* resulting from the use of a pharmaceutical product (expressed in mg / kg or µg / kg based on the weight of primary product or fresh food product) eligible in a food product without being dangerous or harmful to human health;
- **Marker residue:** Residue whose content decreases in a known ratio to total residues in tissues, eggs, milk, honey or other animal tissues.

ART. 2. -Primary products and food products are considered consistent with the meaning of article 53 of [Decree No. 2-10-473](#) above when they contain no active ingredients used as pharmaceutical products, in quantities exceeding the maximum limits of residues, as laid down in the annex to this Joint Order.

For active substances not listed in the aforementioned annex, the maximum residue limits laid down by the Codex Alimentarius apply.

Any primary product or food product containing residues of substances active not listed in the annex to this Joint Order nor in the Codex Alimentarius is a non-compliant product.

ART. 2. - This Joint Order will be published in the Official Gazette.

Rabat, 3 Joumada II, 1439 (February 20, 2018)
Minister of Agriculture, Marine Fisheries, Rural Development and Waters and Forests,
AZIZ AKHANNOUCH
Minister of Health,
ANASS DOUKKALI

ANNEX

Joint Order of the Minister of Agriculture, Maritime Fisheries, Rural Development and Waters and Forests and the Minister of Health [No. 2454-17 of Joumada II 3, 1439 \(February 20, 2018\)](#) laying down the authorized maximum residue limits of pharmaceuticals in primary products and food products.

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Abamectin	Avemectin B1a	Cattle	10 µg / kg 20 µg / kg	Fat Liver	Not for use in animals from which milk is produced for human consumption
		Sheep	20 µg / kg 50 µg / kg 25 µg / kg 20 µg / kg	Muscle Fat Liver Kidneys	
Calcium acetate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Deslorelin acetate	NOT APPLICABLE	Equines	No MRL required	NOT APPLICABLE	NOTHING
Fertirelin acetate	NOT APPLICABLE	Sheep	No MRL required	NOT APPLICABLE	NOTHING
Flugestone acetate	Flugestone acetate	Sheep, goats	0.5 µg / kg 0.5 µg / kg 0.5 µg / kg 0.5 µg / kg 1 µg / kg	Muscle Fat Liver Kidneys Milk	For intravaginal use and for zootechnical purposes only
Magnesium acetate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Triptorelin acetate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Zinc acetate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Acetylcysteine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Acetylmethionine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Sodium Acetylsalicylate	NOT APPLICABLE	AFPS except fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption
Acetylsalicylic acid	NOT APPLICABLE	AFPS except fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption
DL-lysine acetylsalicylic acid	NOT APPLICABLE	AFPS except fish	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption
Aspartic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Boric acid and borates	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Hydrochloric acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For use as an excipient
Clavulanic acid	Clavulanic acid	Cattle, pigs	100 µg / kg 100 µg / kg 200 µg / kg 400 µg / kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat relates to "skin and fat in natural proportions".
Clodronic acid, disodium salt	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Not for use in animals from which milk is produced for human consumption

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Folic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Formic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Glutamic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Hyaluronic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
L-tartaric acid and its sodium salt, potassium and calcium mono- and dibasic acids	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For use as an excipient
Lactic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Malic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For use as an excipient
Orotic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Oxalic acid	NOT APPLICABLE	Bees	No MRL required	NOT APPLICABLE	NOTHING
Oxolinic acid	Oxolinic acid	AFPS	100 µg / kg 50 µg / kg 150 µg / kg 150 µg / kg	Muscle Fat Liver Kidneys	- For fish, the MRL in muscle concerns "muscle and skin in natural proportions". - MRLs for fat, liver and kidneys do not apply to fish. - For pigs and poultry, the MRL in fat concerns "skin and fat in natural proportions". - Not for use in animals from which milk or eggs is produced for human consumption
Peracetic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Double-stranded ribonucleic acid homologous to viral ribonucleic acid which encodes part of the envelope protein and part of the intergenic region of the Israeli acute paralysis virus	NOT APPLICABLE	Bees	No MRL required	Honey	NOTHING
Salicylic acid	NOT APPLICABLE	AFPS except fish	No MRL required	NOT APPLICABLE	NOTHING
Thioctic acid	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Tiludronic acid, disodium salt	NOT APPLICABLE	Equines	No MRL required	NOT APPLICABLE	For intravenous use only
		Poultry	No MRL required	NOT APPLICABLE	For parenteral use only and for the use of laying and breeding animals
Tolfenamic acid	NOT APPLICABLE	Cattle, pigs	50 µg / kg 400 µg / kg 100 µg / kg	Muscle Liver Kidneys	NOTHING
		Cattle	50 µg / kg	Milk	
Linear alkyl benzene sulfonic acids with chain lengths ranging from C9 to C13, containing less than 2.5% chains larger than C13	NOT APPLICABLE	Cattle, sheep	No MRL required	NOT APPLICABLE	For use as an excipient
Humic acids and their sodium salt	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Food additives (substances with a valid E number authorized as additives in foodstuffs intended for human consumption)	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only the substances authorized as additives in foods intended for human consumption, with the exception of preservative subject to restrictions.
Adenosine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Adonis vernalis	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per hundred.
Aesculus hippocastanum	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding medicinal products not exceeding one part per ten.
Gnus castus	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Ailanthus altissima	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Alanine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Albendazole	Sum of albendazole sulfoxide, albendazole sulfone and 2-amino albendazole sulfone, expressed as albendazole	Ruminants	100 µg / kg 100 µg / kg 1 000 µg / kg 500 µg / kg 100 µg / kg	Muscle Fat Liver Kidneys Milk	NOTHING
Benzyl alcohol	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For use as an excipient
Cetostearyl alcohol	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Wool spirits	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for topical use.
Alkyl dimethyl-betaines coconut	NOT APPLICABLE	AFPS except fish	No MRL required	NOT APPLICABLE	For use as an excipient
Alfacalcidol	NOT APPLICABLE	Cattle	No MRL required	NOT APPLICABLE	Only for cows when calving

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Alfaprostol	NOT APPLICABLE	Cattle, pigs, rabbits, equine	No MRL required	NOT APPLICABLE	NOTHING
Allantoin	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for topical use.
Allium cepa	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Aloe Vera gel and whole leaf extract of Aloe Vera	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for topical use.
Aloe, Barbados (ordinary aloe) and Cape, their standardized dry extract and preparations thereof	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Alpha Cypermethrin	Cypermethrin (sum of isomers)	Cattle, sheep	20 µg / kg 200 µg / kg 20 µg / kg 20 µg / kg 20 µg / kg	Muscle Fat Liver Kidneys Milk	NOTHING
Altrenogest	Altrenogest	Pigs Equines	4 µg / kg 2 µg / kg 4 µg / kg 4 µg / kg	Skin + Fat Liver Fat Liver	NOTHING
Amino-2-ethanol	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Amitraz	Sum of amitraz and all metabolites containing the radical 2,4DMA, expressed as amitraz	Cattle Sheep Goats Pigs Bees	200 µg / kg 200 µg / kg 200 µg / kg 10 µg / kg 400 µg / kg 100 µg / kg 200 µg / kg 10 µg / kg 200 µg / kg 100 µg / kg 200 µg / kg 10 µg / kg 400 µg / kg 200 µg / kg 200 µg / kg 200 µg / kg	Fat Liver Kidneys Milk Fat Liver Kidneys Milk Fat Liver Kidneys Milk Skin + Fat Liver Kidneys	NOTHING
Amoxicillin	Amoxicillin	AFPS	50 µg / kg 50 µg / kg 50 µg / kg 50 µg / kg 4 µg / kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL in muscle relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fish. For pigs and poultry, the MRL in fat relates to "skin and fat in natural proportions". Not for use in animals from which eggs are produced for human consumption.

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Ampicillin	Ampicillin	AFPS	50 µg / kg 50 µg / kg 50 µg / kg 50 µg / kg 4 µg / kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL in muscle relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fish. For pigs and poultry, the MRL in fat relates to "skin and fat in natural proportions". Not for use in animals from which eggs are produced for human consumption.
Amprolium	NOT APPLICABLE	Poultry	No MRL required	NOT APPLICABLE	Only for oral use
Angelicae radix aetheroleum	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Anisi aetheroleum	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Anisi stellate fructus, standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Apocynum cannabinum	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per hundred. Only for oral use
Apramycin	Apramycin	Cattle	1 000 µg / kg 1 000 µg / kg 10 000 µg / kg 20 000 µg / kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption. Only for oral use Not for use in animals from which eggs are produced for human consumption.
	NOT APPLICABLE	Sheep, pigs, chicken, rabbit	No MRL required	NOT APPLICABLE	
Aqua levici	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias
Arginine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Arnica montana (arnica flos and arnicae planta tota)	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For topical use only.
Arnicae radix	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding medicinal products not exceeding one part per ten.

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Artemisia abrotanum	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Asparagine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Calcium aspartate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Magnesium aspartate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Zinc aspartate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Atropa belladonna	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per hundred.
Atropine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Avilamycin	Dichloroisoevernic acid	Pigs, poultry, rabbit	50 µg / kg 100 µg / kg 300 µg / kg 200 µg / kg	Muscle Fat Liver Kidneys	For pigs and poultry, the MRL in fat relates to "skin and fat in natural proportions". Not for use in animals from which eggs are produced for human consumption.
Azagly-nafarelin	NOT APPLICABLE	Salmonids	No MRL required	NOT APPLICABLE	Not for use in fish from which eggs are produced for human consumption.
Azamethiphos	NOT APPLICABLE	Fish	No MRL required	NOT APPLICABLE	NOTHING
Azaperone	Sum of azaperone and Aperol	Pigs	100 µg / kg 100 µg / kg 100 µg / kg 100 µg / kg	Muscle Skin + Fat Liver Kidneys	NOTHING
Bacitracin	Sum of Bacitracin A, Bacitracin B and Bacitracin C	Cattle	100 µg / kg	Milk	NOTHING
		Rabbit	150 µg / kg 150 µg / kg 150 µg / kg 150 µg / kg	Muscle Fat Liver Kidneys	
	NOT APPLICABLE	Cattle	No MRLs required except for milk	NOT APPLICABLE	For intramammary use in lactating cows only.
Balsamum peruvianum	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For topical use only.
Baquiloprim	Baquiloprim	Cattle	10 µg / kg 300 µg / kg 150 µg / kg 30 µg / kg	Fat Liver Kidneys Milk	NOTHING
		Pigs	40 µg / kg 50 µg / kg 50 µg / kg	Skin + Fat Liver Kidneys	

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Beclomethasone dipropionate	NOT APPLICABLE	Equines	No MRL required	NOT APPLICABLE	Only for inhalation use.
Bellis perennis	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Benzyl benzoate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Calcium benzoate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Benzocaine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	For use as local anesthetic only.
		Salmonids	No MRL required	NOT APPLICABLE	NOTHING
Benzyl 4-hydroxybenzoate in sodium	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Benzyl p-hydroxybenzoate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Benzylpenicillin	Benzylpenicillin	AFPS	50 µg / kg 50 µg / kg 50 µg / kg 50 µg / kg 4 µg / kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL in muscle relates to 'muscle and skin in natural proportions'. MRLs for liver and kidney do not apply to fish. For pigs and poultry, the MRL in fat relates to "skin and fat in natural proportions". Not for use in animals from which eggs are produced for human consumption
Betaine	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Betamethasone	Betamethasone	Cattle, pigs	0.75 µg / kg 2.0 µg / kg 0.75 µg / kg	Muscle Liver Kidneys	NOTHING
		Cattle	0.3 µg / kg	Milk	
Biotin	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	NOTHING
Bismuth sub-carbonate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for oral use
Bismuth sub-gallate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for oral use
Bismuth sub-nitrate	NOT APPLICABLE	AFPS	No MRL required	NOT APPLICABLE	Only for oral use
		Cattle	No MRLs required	NOT APPLICABLE	For intramammary use only
Bismuth subsalicylate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Bituminosulfonates, ammonium and sodium salts	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Boldo folium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium Boroformiate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium Borogluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Bromhexine	NOT APPLICABLE	Cattle, pigs, poultry	No MRLs required	NOT APPLICABLE	Do not use in animals producing milk or eggs intended for human consumption
Bromide of Butylscopolamine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Bromide, potassium salt	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Bromide, sodium salt	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	For topical use only
Bronopol	NOT APPLICABLE	Fish	No MRLs required	NOT APPLICABLE	NOTHING
Brotizolam	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	For therapeutic use only
Buserelin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Butafosfan	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
n-Butane	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
n-Butanol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient
Butyl 4-hydroxybenzoate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Butyl 4-hydroxybenzoate of sodium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cabergoline	Cabergoline	Cattle	0.10 µg/kg 0.25 µg/kg 0.50 µg/kg 0.15 µg/kg 0.10 µg/kg	Fat Liver Kidneys Muscle Milk	NOTHING
Caffeine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calendula officinalis	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding medicinal products not exceeding one part per ten.
Calendulae flos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Camphora	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part percent
Camphor	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	External use only
Capsici fructus acer	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Carazolol	Carazolol	Cattle	5 µg/kg 5 µg/kg 15 µg/kg 15 µg/kg 1 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
		Pigs	5 µg/kg 5 µg/kg 25 µg/kg 25 µg/kg	Muscle Skin + fat Liver Kidneys	
Carbasalate calcium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption
Carbocetine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium carbonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cobalt carbonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Copper carbonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium carbonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Manganese carbonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cardiospermum halicacabum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Carlinae radix	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Carnitine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Carprofene	Sum of carprofene and glucuronide of carprofene combined	Cattle, equine	500 µg/kg 1 000 µg/kg 1 000 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidneys	NOTHING
Carvi aetheroleum	NOT APPLICABLE	Cattle	No MRL required for milk	NOT APPLICABLE	NOTHING
	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	
Caryophylli aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cefacetrile	Cefacetrile	Cattle	125 µg/kg	Milk	For intramammary use only
	NOT APPLICABLE	Cattle	No MRLs required except for milk	NOT APPLICABLE	
Cephalexin	Cephalexin	Cattle	200 µg/kg 200 µg/kg 200 µg/kg 1 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Cefalonium	Cefalonium	Cattle	20 µg/kg	Milk	Only for intramammary use and eye treatment.
	NOT APPLICABLE	Cattle	No MRLs required except for milk	NOT APPLICABLE	

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Cephapirin	Sum of Cephapirin and Desacetylcephapirine	Cattle	50 µg/kg 50 µg/kg 100 µg/kg 60 µg/kg	Muscle Fat Kidneys Milk	NOTHING
Cefazolin	Cefazolin	Cattle, sheep, goats	50 µg/kg	Milk	NOTHING
	NOT APPLICABLE	Cattle, sheep, goats	No MRLs required except for milk	NOT APPLICABLE	Use intramammary (except if the udder may be intended for human consumption)
Cefoperazone	Cefoperazone	Cattle	50 µg/kg	Milk	To use only on cows in lactation, administration intramammary
	NOT APPLICABLE	Cattle	No MRLs required except for milk	NOT APPLICABLE	
Cefquinome	Cefquinome	Cattle, pigs, equine	50 µg/kg 50 µg/kg 100 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
		Cattle	20 µg/kg	Milk	
Ceftiofur	Sum of all residues retaining the structure expressed as desfuroylceftiofur betalactam	AFPS of mammals	2 000 µg/kg 2 000 µg/kg 2 000 µg/kg 6 000 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
Centellae asiaticae extractum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Cetrimide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium chlorite	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	For topical use only
Chlorhexidine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Clenbuterol hydrochloride	Clenbuterol	Cattle, equine	0.1 µg/kg 0.5 µg/kg 0.5 µg/kg	Muscle Liver Kidneys	NOTHING
		Cattle	0.05 µg/kg	Milk	
Denaverine hydrochloride	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	NOTHING
Hydrochloride in fenpipramide	NOT APPLICABLE	Equine	No MRLs required	NOT APPLICABLE	Only for intravenous use
Xylazine hydrochloride	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	NOTHING
Chlormadinone	Chlormadinone	Cattle	4 µg/kg 2 µg/kg 2.5 µg/kg	Fat Liver Milk	Only for zootechnical use
Chlorocresol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Chloroforme	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	Only for use as an excipient in vaccines up to a concentration of 1% (w / v) and a total dose of 20 mg per animal
Chlorphenamine	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Chlortetracycline	Sum of the substance mother and her epimers in 4	AFPS	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidneys Milk Eggs	For fish, the MRL in muscle concerns "muscle and skin in natural proportions". MRLs for liver and kidneys do not apply to fish.

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Ammonium chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Benzalkonium chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only as an excipient up to a concentration of 0.05%
Calcium chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Copper chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Manganese chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Sodium chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Zinc chloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Chrysanthemum cinerariifolium flos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
choline	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
chymotrypsin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cimicifugae racemosae rhizoma	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Do not use in producing milk for human consumption
Cinchonae cortex, standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cinnamomi cassiae aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cinnamomi cassiae cortex, standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cinnamomi ceylanici aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cinnamomi ceylanici cortex, standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ammonium ferric citrate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium citrate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium citrate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Citri aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Citronellae aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Citrulline	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Clazuril	NOT APPLICABLE	Pigeon	No MRLs required	NOT APPLICABLE	NOTHING
Cloprostenol	NOT APPLICABLE	Cattle, pigs, goats, equine	No MRLs required	NOT APPLICABLE	NOTHING
R-Cloprostenol	NOT APPLICABLE	Cattle, pigs, goats, equine	No MRLs required	NOT APPLICABLE	NOTHING
Clorsulon	Clorsulon	Cattle	35 µg/kg 100 µg/kg 200 µg/kg 16 µg/kg	Muscle Liver Kidneys Milk	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Closantel	Closantel	Cattle	1 000 µg/kg 3 000 µg/kg 1 000 µg/kg 3 000 µg/kg 45 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Sheep	1 500 µg/kg 2 000 µg/kg 1 500 µg/kg 5 000 µg/kg 45 µg/kg	Muscle Fat Liver Kidneys Milk	
Cloxacillin	Cloxacillin	AFPS	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL in muscle concerns "muscle and skin in natural proportions". MRLs for fat, liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
Cocoate polyethylene glycol-7 glycerol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Colistin	Colistin	AFPS	150 µg/kg 150 µg/kg 150 µg/kg 200 µg/kg 50 µg/kg 300 µg/kg	Muscle Fat Liver Kidneys Milk Eggs	For fish, the MRL in muscle concerns "muscle and skin in natural proportions". MRLs for fat, liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'.
Iodinated organic compounds: - Iodoform	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Condurango cortex, standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Convallaria majalis	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand
Coriandri aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Corticotropin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Coumafos	Coumafos	Bees	100 µg/kg	Honey	NOTHING
Crataegus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Sodium cromoglycate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cupressi aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Cyfluthrin	Cyfluthrin (sum of isomers)	Cattle, goats	10 µg/kg 50 µg/kg 10 µg/kg 10 µg/kg 20 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Cyhalothrin	Cyhalothrin (sum of isomers)	Cattle	500 µg / kg 50 µg / kg 50 µg / kg	Fat Kidneys Milk	NOTHING
Cypermethrin	Cypermethrin (sum of isomers)	Ruminants	20 µg / kg 200 µg / kg 20 µg / kg 20 µg / kg 20 µg / kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Salmonids	50 µg / kg	Muscle and skin in natural proportions	
Cyromazine	Cyromazine	Sheep	300 µg / kg 300 µg / kg 300 µg / kg 300 µg / kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Cysteine	NOT APPLICABLE		No MRLs required	NOT APPLICABLE	NOTHING
Cytidine and its 5'-mono-, 5'-di- and 5'-triphosphates	NOT APPLICABLE		No MRLs required	NOT APPLICABLE	NOTHING
Danofloxacin	Danofloxacin	Cattle, sheep, goat, poultry	200 µg / kg 100 µg / kg 400 µg / kg 400 µg / kg	Muscle Fat Liver Kidneys	For fish, the MRL in muscle concerns "muscle and skin in natural proportions". MRLs for fat, liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. For poultry, the MRL in muscle concerns "muscle and skin in natural proportions" Not for use in animals from which eggs are produced for human consumption
		AFPS except cattle, sheep, goats and poultry	100 µg / kg 50 µg / kg 200 µg / kg 200 µg / kg	Muscle Fat Liver Kidneys	
		Cattle, sheep, goats	30 µg / kg	Milk	
Decoquinate	NOT APPLICABLE	Cattle, Sheep	No MRLs required	NOT APPLICABLE	Only for oral use. Not for use in animals from which milk is produced for human consumption
Deltamethrin	Deltamethrin	Ruminants	10 µg / kg 50 µg / kg 10 µg / kg 10 µg / kg 20 µg / kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Fish	10 µg / kg	Muscle and skin in natural proportions	
Dembrexine	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	NOTHING
Derquantel	Derquantel	Sheep	2 µg / kg 40 µg / kg 20 µg / kg 5 µg / kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Detomidine	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	For therapeutic use only
Dexamethasone	Dexamethasone	Cattle, goats, pigs, equine	0.75 µg / kg 2 µg / kg 0.75 µg / kg	Muscle Liver Kidneys	NOTHING
		Cattle, goats	0.3 µg / kg	Milk	

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Dexpanthenol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ferric dextran	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Diazinon	Diazinon	Cattle, sheep, goats, pigs	20 µg/kg 700 µg/kg 20 µg/kg 20 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns "Skin in fat natural proportions".
		Cattle, sheep, goats	20 µg/kg	Milk	
Octenidine dihydrochloride	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	For skin use only.
Sodium dichloroisocyanurate	NOT APPLICABLE	Cattle, sheep, goats	No MRLs required	NOT APPLICABLE	For topical use only
Cobalt dichloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Iron dichloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Diclazuril	NOT APPLICABLE	Ruminants, pigs	No MRLs required	NOT APPLICABLE	Only for oral use
	Diclazuril	Poultry	500 µg/kg 500 µg/kg 1 500 µg/kg 1000 µg/kg	Muscle Skin and fat in the natural proportions Liver Kidneys	Not for use in animals from which eggs are produced for human consumption
		Rabbit	150 µg/kg 300 µg/kg 2 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidneys	
Diclofenac	Diclofenac	Cattle	5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg 0.1 µg/kg	Muscle Fat Liver Kidneys Milk	For pigs, the MRL in fat concerns "Skin in fat natural proportions".
		Pigs	5 µg/kg 1 µg/kg 5 µg/kg 10 µg/kg	Muscle Skin + fat Liver Kidneys	
Dicloxacilline	Dicloxacilline	AFPS	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption
Dicyclanil	Sum of dicyclanil and 2, 4, 6-triamino-pyrimidine -5-carbonitrile	Sheep	200 µg/kg 150 µg/kg 400 µg/kg 400 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Diethyl sebacate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Difloxacin	Difloxacin	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
		Cattle, sheep, goats	400 µg/kg 100 µg/kg 1 400 µg/kg 800 µg/kg	Muscle Fat Liver Kidneys	For fish, the MRL for muscle 'muscle and skin in natural proportions' The MRLs for fat, the liver and kidneys do not apply to fish. Not for use in animals from which milk is produced for human consumption Not for use in animals from which eggs are produced for human consumption
		Pigs	400 µg/kg 100 µg/kg 800 µg/kg 800 µg/kg	Muscle Skin + fat Liver Kidneys	
		Poultry	300 µg/kg 400 µg/kg 1 900 µg/kg 600 µg/kg	Muscle Skin + fat Liver Kidneys	
		AFPS except cattle, sheep, goats, pigs and poultry	300 µg/kg 100 µg/kg 800 µg/kg 600 µg/kg	Muscle Fat Liver Kidneys	
Diflubenzuron	Diflubenzuron	Salmonids	1 000 µg/kg	Muscle and skin in natural proportions	NOTHING
Piperazine dihydrochloride	NOT APPLICABLE	Chickens	No MRLs required except for eggs	NOT APPLICABLE	NOTHING
2-aminoethyl dihydrogenphosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dihydrostreptomycin	Dihydrostreptomycin	Ruminants, pigs, rabbits	500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidneys	For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'
		Ruminants	200 µg/kg	Milk	
3.5 - Diiodo-L-tyrosine	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Dimethicone	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dimethylsulfoxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dimethylacetamide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dinoprost	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Dinoprost tromethamine	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Dinoprostone	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Sodium Dioctylsulfosuccinate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Diprophylline	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Aluminium Distearate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Potassium DL-aspartate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
DL-lysine of acetylsalicylic acid	NOT APPLICABLE	AFPS except fish	No MRLs required	NOT APPLICABLE	Not for use in animals from which milk or eggs are produced for human consumption

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Doramectin	Doramectin	AFPS of mammals	40 µg/kg 150 µg/kg 100 µg/kg 60 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption
Doxapram	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Doxycycline	Doxycycline	AFPS	100 µg/kg 300 µg/kg 300 µg/kg 600 µg/kg	Muscle Fat Liver Kidneys	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption.
Echinacea	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof. For topical use only. Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding medicinal products not exceeding one part per ten.
Echinacea purpurea	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Emamectin	Emamectin B 1a	Fish	100 µg/kg	Muscle and skin in natural proportions	NOTHING
Pyrantel Embonate	NOT APPLICABLE	Equine	No MRLs required	NOT APPLICABLE	NOTHING
Enilconazole	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	For topical use only
Enrofloxacin	Sum of Enrofloxacin and ciprofloxacin	Cattle, sheep, goats	100 µg/kg 100 µg/kg 300 µg/kg 200 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption
		Pigs, rabbits	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Fat Liver Kidneys	
		Poultry	100 µg/kg 100 µg/kg 200 µg/kg 300 µg/kg	Muscle Skin + fat Liver Kidneys	

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
		AFPS	100 µg/kg 100 µg/kg 200 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys	
Epinephrine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Eprinomectine	Eprinomectine B1a	Cattle	50 µg/kg 250 µg/kg 1 500 µg/kg 300 µg/kg 20 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Sheep, goats	50 µg/kg 250 µg/kg 1 500 µg/kg 300 µg/kg 20 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Erythromycin	Erythromycin A	AFPS	200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 40 µg/kg 150 µg/kg	Muscle Fat Liver Kidneys Milk Eggs	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'.
Estradiol 17β	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	For therapeutic and zootechnical use only
Etamiphylline camsylate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Etamsylate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ethanol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient
Ethyl oleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ethylenediamine tetraacetate and its salts	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Etiproston tromethamine	NOT APPLICABLE	Cattle, pigs	No MRLs required	NOT APPLICABLE	NOTHING
Eucalypti aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Eucalyptol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Eucalyptus globulus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Euphrasia officinalis	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof.
Absinthe extract	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Cardamom extract	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Pyrethrum extract	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Purified semi-solid extract from <i>Humulus lupulus</i> L. containing approximately 48% of beta acids (as potassium salts)	NOT APPLICABLE	Bees	No MRLs required	Honey	NOTHING
Pegylated cattle granulocyte colony stimulating factor	Not applicable	Cattle	No MRLs required	NOT APPLICABLE	NOTHING
Febantel	Sum of extractable residues that may be oxidized in sulfone of oxfendazole	Ruminants, pigs, equine	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
		Ruminants	10 µg/kg	Milk	
Fenbendazole	Sum of extractable residues that may be oxidized in sulfone of oxfendazole	AFPS except fish	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg 10 µg/kg 1 300 µg/kg	Muscle Fat Liver Kidneys Milk Eggs	For pigs and poultry, the MRL concerns 'skin and fat in natural proportions'.
Fenvalerate	Fenvalerate (sum of isomers RR, SS, RS and SR)	Cattle	25 µg/kg 250 µg/kg 25 µg/kg 25 µg/kg 40 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Firocoxib	Firocoxib	Equine	10 µg/kg 15 µg/kg 60 µg/kg 10 µg/kg	Muscle Fat Liver Kidneys	NOTHING
Florfenicol	Sum of florfenicol and its metabolites measured as florfenicol amine	Cattle, sheep, goats	200 µg/kg 3 000 µg/kg 300 µg/kg	Muscle Liver Kidneys	Not for use in animals from which milk or eggs are produced for human consumption
		Pigs	300 µg/kg 500 µg/kg 2 000 µg/kg 500 µg/kg	Muscle Skin + fat Liver Kidneys	
		Poultry	100 µg/kg 200 µg/kg 2 500 µg/kg 750 µg/kg	Muscle Skin + fat Liver Kidneys	
		Fish	1 000 µg/kg	Muscle and skin in natural proportions	
		AFPS except cattle, sheep, goats, pigs, poultry and fish	100 µg/kg 200 µg/kg 2 000 µg/kg 300 µg/kg	Muscle Fat Liver Kidneys	
Fluazuron	Fluazuron	Cattle	200 µg/kg 7 000 µg/kg 500 µg/kg 500 µg/kg	Muscle Fat Liver Kidneys	Do not use in animals producing milk for human consumption.
Flubendazole	Sum of flubendazole and (2-amino 1 H-benzimidazole-5-yl) (4fluoro-phenyl) methanone	Poultry, pigs	50 µg/kg 50 µg/kg 400 µg/kg 300 µg/kg	Muscle Skin + fat Liver Kidneys	NOTHING
	Flubendazole	Poultry	400 µg/kg	Eggs	

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Flumequine	Flumequine	Cattle, sheep, goats, pigs	200 µg/kg 300 µg/kg 500 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption.
		Cattle, sheep, goats	50 µg/kg	Milk	
		Poultry	400 µg/kg 250 µg/kg 800 µg/kg 1 000 µg/kg	Muscle Skin + fat Liver Kidneys	
		Fish	600 µg/kg	Muscle and skin in natural proportions	
		AFPS except cattle, sheep, goats, pigs, poultry and fish	200 µg/kg 250 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidneys	
Flumethrin	Flumethrin (sum trans-Z isomers)	Cattle	10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Sheep	10 µg/kg 150 µg/kg 20 µg/kg 10 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption.
	NOT APPLICABLE	Bees	No MRLs required	NOT APPLICABLE	NOTHING
Flunixin	Flunixin	Cattle	20 µg/kg 30 µg/kg 300 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys	NOTHING
		Pigs	50 µg/kg 10 µg/kg 200 µg/kg 30 µg/kg	Muscle Skin + fat Liver Kidneys	
		Equine	10 µg/kg 20 µg/kg 100 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys	
	5 -Hydroxyflunixin	Cattle	40 µg/kg	Milk	
Foeniculi aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Formaldehyde	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium formaldehyde sulfoxylate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Frangulae cortex standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Furosemide	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	Only intravenously
Gamithromycin	Gamithromycin	Pigs	100 µg/kg 100 µg/kg 100 µg/kg 300 µg/kg	Muscle Skin and fat in natural proportions Liver Kidneys	NOTHING
		Cattle	20 µg/kg 200 µg/kg 100 µg/kg	Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption.

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Gentamicin	Sum of gentamicin C1, gentamicin C1a, gentamicin C2 and gentamicin C2a	AFPS of mammals	50 µg/kg 50 µg/kg 200 µg/kg 750 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. For pigs, the fat is 'skin and fat in natural proportions'.
Gentianae radix standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ginkgo biloba	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand
Ginseng	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Ginseng standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium Glucoheptonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Iron Glucoheptonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Cobalt gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Copper gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Manganese gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Nickel gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Zinc gluconate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium glucono glucoheptonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium Gluconolactate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
2-aminoethanol glucuronate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Betaine Glucuronate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Potassium Glucuronate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium glutamate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium glutamate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Glutamine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Glutaraldehyde	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Glycerol formal	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium Glycerophosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium Glycerophosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Manganese Glycerophosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Potassium Glycerophosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium Glycerophosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Glycine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Polysulfated glycosaminoglycan	NOT APPLICABLE	Equine	No MRLs required	NOT APPLICABLE	NOTHING
Chorionic gonadostimuline (FHC natural and synthetic analogs)	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Human chorionic Gonadotropin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Extracted from pregnant Mare serum gonadotropin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Human menopausal gonadotropin	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	NOTHING
Guanosine and its 5'-mono-, 5' - di - and 5'-triphosphates	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Halofuginone	Halofuginone	Cattle	10 µg/kg 25 µg/kg 30 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Hamamelis virginiana	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only. Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding medicinal products not exceeding one part per ten. For topical use only
Harpagophytum procumbens	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Harunga madagascariensis	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand
Heparin and its salts	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Heptaminol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Copper heptonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Hesperidin	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	NOTHING
Hesperidin methylchalcone	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	NOTHING
Hexaflumuron	Hexaflumuron	Fish	500 µg/kg	Muscle and skin in natural proportions	NOTHING
Hexetidine	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	For topical use only
Hippocastani semen	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Histidine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Luteinizing hormone releasing hormone D-phenylalanine (6)	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Hormone releasing gonadotropin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Luteinizing hormone (natural LH from all species and their synthetic products)	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Follicular stimulating hormone (natural FSH from all species and their synthetic products)	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Hydrocarbure of mineral origin of C10 to C60, low to high viscosity including microcristallines waxes, compound aliphatic, aliphatic branched and alicycliques	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Excludes aromatic and unsaturated compounds
Hydrochlorothiazide	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	NOTHING
Hydrocortisone	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Hydroxyacetate of aluminum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
4 - Hydroxybenzoate of propyl and its sodium salt	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only as a preservative
Aluminium hydroxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium hydroxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium hydroxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Hydroxyethylsalicylate	NOT APPLICABLE	AFPS except fish	No MRLs required	NOT APPLICABLE	For topical use only
8 - Hydroxyquinoline	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	Only for topical use on newborn animals
Hydroxystearate polyethylene glycol 15	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient
Hyperici oleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Hypericum perforatum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Calcium hypophosphite	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOT APPLICABLE
Magnesium hypophosphite	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium hypophosphite	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Imidocarb	Imidocarb	Cattle	300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Sheep	300 µg/kg 50 µg/kg 2 000 µg/kg 1 500 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Inosine and its 5'-mono-, 5'-di - and 5'-triphosphates	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Inositol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Iodine and iodine inorganic compounds including: - Sodium iodide and potassium - Sodium iodate and potassium - Iodophores including polyvinylpyrrolidone-iodine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Isobutane	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Isoeugenol	Isoeugenol	Fish	6 000 µg/kg	Muscle and skin in natural proportions	NOT APPLICABLE
Isoflurane	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	To use as anesthetic only
Isoleucine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Isopropanol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Isoxsuprine	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	Only for the therapeutic indications authorized in accordance with the law n ° 21-80
Ivermectin	22, 23-dihydro-avermectin B1a	AFPS of mammals	30 µg/kg 100 µg/kg 100 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL 'fat' is 'skin and fat in natural proportions'. Not for use in animals from which milk is produced for human consumption
Jecoris oleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Juniperi fructus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Kanamycin	Kanamycin A	AFPS except fish	100 µg/kg 100 µg/kg 600 µg/kg 2 500 µg/kg 150 µg/kg	Muscle Fat Liver Kidneys Milk	For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption
Ketamine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ketoprofen	NOT APPLICABLE	Cattle, pigs, equine	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Lachnanthes tinctoria	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand
Ethyl lactate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Lanolin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHINGNESS
Lasalocid	Lasalocid A	Poultry	60 µg/kg 300 µg/kg 150 µg/kg 300 µg/kg 150 µg/kg	Muscle Liver Kidneys Skin and fat in natural proportions Eggs	NOTHING
		Cattle	10 µg/kg 20 µg/kg 100 µg/kg 20 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Lauri folii aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Lauri fructus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium Laurylsulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Laurylsulfate of ammonium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Lavandulae aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Lecirelin	NOT APPLICABLE	Cattle, equine, rabbits	No MRLs required	NOT APPLICABLE	NOTHING
Lectin extracted from red beans (Phaseolus vulgaris)	NOT APPLICABLE	Pigs	No MRLs required	NOT APPLICABLE	Only for oral use
Lespedeza capitata	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Leucine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Levamisole	Levamisole	Cattle, sheep, pigs, poultry	10 µg/kg 10 µg/kg 100 µg/kg 10 µg/kg	Muscle Fat Liver Kidneys	For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption
Levomethadone	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	Only for intravenous use
Levothyroxine	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Lidocaine	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	For local and regional anesthesia only

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Lincomycin	Lincomycin	AFPS	100 µg/kg 50 µg/kg 500 µg/kg 1 500 µg/kg 150 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys Milk Eggs	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'.
Lini oleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Lobaria pulmonaria	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Lobeline	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Lufenuron (RS isomers)	Lufenuron (RS isomers)	Fish	1 350 µg/kg	Muscle and skin in natural proportions	NOTHING
Luprostiol	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Lysine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Majoranae herba	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium maleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ergometrine maleate	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	Use only in parturient females
Mannitol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Marbofloxacin	Marbofloxacin	Cattle, pigs	150 µg/kg 50 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
		Cattle	75 µg/kg	Milk	
Matricaria sickletop and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Matricariae flos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Mebendazole	Sum of mebendazole methyl (5-(1-hydroxy, 1-phenyl) methyl - 1 H - benzimidazol-2-yl) carbamate and (2-amino-1Hbenzimidazol-5-yl)phenylmethanone, expressed as mebendazole equivalents	Sheep, goats, equine	60 µg/kg 60 µg/kg 400 µg/kg 60 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Mecillinam	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	Only for intrauterine use
Medicago sativa extractum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Medroxyprogesterone acetate	NOT APPLICABLE	Sheep	No MRLs required	NOT APPLICABLE	For intravaginal use, only for zootechnical purposes

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Melatonin	NOT APPLICABLE	Sheep, goats	No MRLs required	NOT APPLICABLE	NOTHING
Melissae aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Melissae folium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Meloxicam	Meloxicam	Cattle, goats, pigs, rabbits, equine	20 µg/kg 65 µg/kg 65 µg/kg	Muscle Liver Kidneys	NOTHING
		Cattle, goats	15 µg/kg	Milk	
Menadione	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Menbutone	NOT APPLICABLE	Cattle, sheep, goats, pigs, equine	No MRLs required	NOT APPLICABLE	NOTHING
Menthae arvensis aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Menthae piperitae aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Menthol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Mepivacaine	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	Exclusively through intra-articular and epidural as a local anesthetic
Mercaptamine hydrochloride	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Tricaine Mesilate	NOT APPLICABLE	Fish	No MRLs required	NOT APPLICABLE	For bathing in the water only
Metamizolum	4 - Methylaminoantipyrine	Cattle, pigs, equine	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
		Cattle	50 µg/kg	Milk	
Copper Methionate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Methionine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Methylbenzoate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
2-methyl-2-phenoxypropanoate of sodium	NOT APPLICABLE	Cattle, pigs, goats, equine	No MRLs required	NOT APPLICABLE	NOTHING
Methylprednisolone	Methylprednisolone	Equine	10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg 2 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Cattle	10 µg/kg 10 µg/kg 10 µg/kg 10 µg/kg 2 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
-Methyl-2-pyrrolidone	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Millefolii herba	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Monensin	Monensin A	Cattle	2 µg/kg 10 µg/kg 50 µg/kg 10 µg/kg 2 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Monepantel	Monepantel-sulfone	Sheep, goats	700 µg/kg 7 000 µg/kg 5 000 µg/kg 2 000 µg/kg 170 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Polyoxyethylene sorbitan monooleate and trioleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Glyceryl of aluminum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Monothioglycerol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Montanide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Morantel	Sum of residues that can be hydrolyzed in n- methyl-1.3- propanediamine, expressed as morantel equivalents	Ruminants	100 µg/kg 100 µg/kg 800 µg/kg 200 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Moxidectin	Moxidectin	Cattle, sheep, equine	50 µg/kg 500 µg/kg 100 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys	NOTHING
		Cattle, sheep	40 µg/kg	Milk	
Myglyol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Myristicae aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	To be used only on the newborn animal
Nafcillin	Nafcillin	Ruminants	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys Milk	For intramammary use only
Natamycin	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	For topical use only
Neomycin (framycetin included)	Neomycin B	AFPS	500 µg/kg 500 µg/kg 5 500 µg/kg 9 000 µg/kg 1 500 µg/kg 500 µg/kg	Muscle Fat Liver Kidneys Milk Eggs	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'
Neostigmine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHINGNESS
Netobimine	Sum of oxide of albendazole, sulfone of albendazole and amino sulfone-2, albendazole expressed in albendazole	Cattle, sheep	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	Only for oral use
Nicoboxil	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	For topical use only
Methyl nicotinate	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	For topical use only
Potassium nitrate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Sodium nitrite	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	For topical use only
Nitroxinil	Nitroxinil	Cattle, sheep	400 µg/kg 200 µg/kg 20 µg/kg 400 µg/kg 20 µg/kg	Muscle Fat Liver Kidneys Milk	
Nonivamide	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	For topical use only
Norgestomet	Norgestomet	Cattle	0.2 µg/kg 0.2 µg/kg 0.2 µg/kg 0.2 µg/kg 0.12 µg/kg	Muscle Fat Liver Kidneys Milk	For therapeutic purposes zootechnical only
Novobiocin	Novobiocin	Cattle	50 µg/kg	Milk	To use only in intramammary administration
	NOT APPLICABLE	Cattle	No MRLs required except for milk	NOT APPLICABLE	NOTHING
Okoubaka aubrevillei	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Zinc oleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Oleyloleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Omeprazole	NOT APPLICABLE	Equine	No MRLs required	NOT APPLICABLE	Only for oral use
Orgoteine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ornithine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium Orotate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Oxacillin	Oxacillin	AFPS	300 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 30 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs are produced for human consumption
Oxfendazole	Sum of extractable residues that may be oxidized in sulfone of oxfendazole	Ruminants, pigs, equine	50 µg/kg 50 µg/kg 500 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
		Ruminants	10 µg/kg	Milk	
Oxibendazole	Oxibendazole	Pigs	100 µg/kg 500 µg/kg 200 µg/kg 100 µg/kg	Muscle Skin + fat Liver Kidneys	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Calcium oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Oxyclozanide	Oxyclozanide	Ruminants	20 µg/kg 20 µg/kg 500 µg/kg 100 µg/kg 10 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Albendazole oxide	Sum of oxide of albendazole, sulfone of albendazole and amino sulfone-2, albendazole expressed in albendazole	Cattle, sheep	100 µg/kg 100 µg/kg 1 000 µg/kg 500 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Cobalt oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Copper oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dicuvire oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Manganese oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Zinc oxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Oxytetracycline	Sum of the parent compounds and their 4-epimers	AFPS	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidneys Milk Eggs	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for liver and kidneys do not apply to fish.
Oxytocin	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Pancreatin	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	For topical use only
Calcium pantothenate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Papain	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Papaverine	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	Newborn calf only
Paracetamol	NOT APPLICABLE	Pigs	No MRLs required	NOT APPLICABLE	Only for oral use
Parconazole	NOT APPLICABLE	Guinea fowl	No MRLs required	NOT APPLICABLE	NOTHING
Paromomycin	Paromomycin	AFPS	500 µg/kg 1500 µg/kg 1500 µg/kg	Muscle Liver Kidneys	For fish, the MRL in muscle concerns 'muscle and skin in natural proportions'. The MRLs for liver and kidneys do not apply to fish. Not for use in animals from which milk or eggs are produced for human consumption
Peforelin	NOT APPLICABLE	Pigs	No MRLs required	NOT APPLICABLE	NOTHING
Penethamate	Benzylpenicillin	AFPS of mammals	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 4 µg/kg	Muscle Fat Liver Kidneys Milk	For pigs, the MRL for fat relates to "skin and fat in natural proportions".
Pepsin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Permethrin	Permethrin (sum of isomers)	Cattle	50 µg/kg 500 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Hydrogen peroxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Phenol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Phenoxymethylpenicilline	Phenoxymethylpenicilline	Pigs	25 µg/kg 25 µg/kg 25 µg/kg	Muscle Liver Kidneys	NOTHING
		Poultry	25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg 25 µg/kg	Muscle Skin and fat Liver Kidneys Eggs	
Phenylalanine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Phloroglucinol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Aluminum phosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium phosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium phosphate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Phoxim	Phoxim	AFPS except fish	25 µg/kg 550 µg/kg 50 µg/kg 30 µg/kg 60 µg/kg	Muscle Fat Liver Kidneys Eggs	For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which milk or eggs are produced for human consumption
Diethyl phthalate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dimethyl phthalate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Phytolacca americana	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand
Phytomenadione	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Piceae shoots recent extractum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Manganese Pidolate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Piperazine	Piperazine	Pigs	400 µg/kg 800 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Skin + fat Liver Kidneys	NOTHING
		Chickens	2 000 µg/kg	Eggs	
Piperonylbutoxyde	NOT APPLICABLE	Cattle, sheep, goats, Equines	No MRLs required	NOT APPLICABLE	For topical use only

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Pirlimycin	Pirlimycin	Cattle	100 µg/kg 100 µg/kg 1 000 µg/kg 400 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Policresulene	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Poloxalene	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Poloxamere	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Polyethyleneglycols (of molecular mass between 200 and 10,000)	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Polyoxyle-oil of Castor with 30 to 40 units of oxyethylene	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient
Polyoxyle-castor oil hydrogenated with 40 to 60 oxyethylene units	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient
Calcium polyphosphates	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Polysorbate 80	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Praziquantel	NOT APPLICABLE	Sheep, equine	No MRLs required	NOT APPLICABLE	NOTHING
Prednisolone	Prednisolone	Cattle	4 µg/kg 4 µg/kg 10 µg/kg 10 µg/kg 6 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Equine	4 µg/kg 8 µg/kg 6 µg/kg 15 µg/kg	Muscle Fat Liver Kidneys	
Prethcamide (crothetamide and cropropamide)	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Procaine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Products of oxidation of Terebinthinae oleum	NOT APPLICABLE	Cattle, sheep, goats, pigs	No MRLs required	NOT APPLICABLE	NOTHING
Progesterone	NOT APPLICABLE	Cattle, sheep, goats, equine (female)	No MRLs required	NOT APPLICABLE	Only for therapeutic or zootechnical intravaginal use authorized in accordance with Law 21-80
ProLine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Propane	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium propionate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium Propionate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Propylene glycol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Prunus laucerasus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
2 - Pyrrolidone	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium Pyrosulfite	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Quatresine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only as a preservative up to a concentration of 0.5%
Quercus cortex	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Rafoxanide	Rafoxanide	Cattle	30 µg/kg 30 µg/kg 10 µg/kg 40 µg/kg	Muscle Fat Liver Kidneys	NOTHING
		Sheep	100 µg/kg 250 µg/kg 150 µg/kg 150 µg/kg	Muscle Fat Liver Kidneys	
		Cattle, sheep	10 µg/kg	Milk	
Rhei radix standardized extracts and derived preparations	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Manganese Ribonucleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Ricini oleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient
Rifaximin	Rifaximin	Cattle	60 µg/kg	Milk	NOTHING
	NOT APPLICABLE	Cattle	No MRLs required except for milk	NOT APPLICABLE	Intramammary use, except if the udder may be intended for human consumption, and intrauterine use only.
		AFPS of mammals	No MRLs required	NOT APPLICABLE	For topical use only
Romifidine	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	For therapeutic use only
Rosmarini aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Rosmarini folium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Ruscus aculeatus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Ruta graveolens	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand. Not for use in animals from which milk is produced for human consumption
Basic salicylate aluminum	Salicylic acid	Cattle, goats, equine, rabbits	200 µg/kg 500 µg/kg 1500 µg/kg 1500 µg/kg	Muscle Fat Liver Kidneys	NOTHING
		Cattle, goats, equine	9 µg/kg	Milk	
	NOT APPLICABLE	AFPS except cattle, goats, equine, rabbits and fish	No MRLs required	NOT APPLICABLE	For topical use only

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Methyl salicylate	NOT APPLICABLE	AFPS except fish	No MRLs required	NOT APPLICABLE	For topical use only
Sodium salicylate	NOT APPLICABLE	Cattle, pigs	No MRLs required	NOT APPLICABLE	Only for oral use Not for use in animals from which milk is produced for human consumption
		AFPS except fish	No MRLs required	NOT APPLICABLE	For topical use only
	Salicylic acid	Turkeys	No MRLs required	NOT APPLICABLE	Not for use in animals from which eggs are produced for human consumption
Salviae folium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sambuci flos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Saponins of species	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sarafloxacin	Sarafloxacin	Chickens	10 µg/kg 100 µg/kg	Skin + fat Liver	Not for use in animals from which eggs are produced for human consumption
		Salmonids	30 µg/kg	Muscle and skin in natural proportions	
Barium selenate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	No administration by injection
Potassium selenate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium selenate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Selenicereus grandiflorus	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part percent
Sodium Selenite	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Serenoa repens	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Sambuci flos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Serotonin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Aluminum and magnesium silicate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Calcium silicate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Silybum marianum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Sinapis nigrae Semen	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sisapronil	Sisapronil	Cattle, goats	100 µg/kg 2 000 µg/kg 200 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which milk is produced for human consumption
Tosylchloramide sodium	NOT APPLICABLE	Cattle, equine	No MRLs required	NOT APPLICABLE	For topical use only
		Fish	No MRLs required	NOT APPLICABLE	For bathing in the water only
Solidago virgaurea	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Somatosalm	NOT APPLICABLE	Salmon	No MRLs required	NOT APPLICABLE	NOTHING
Sorbitan sesquioleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sulphur	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Spectinomycin	Spectinomycin	Sheep	300 µg/kg 500 µg/kg 2 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish.
		AFPS except Sheep	300 µg/kg 500 µg/kg 1 000 µg/kg 5 000 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys Milk	For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs is produced for human consumption
Spiramycin	Sum of Spiramycin and neospiramycin	Cattle	200 µg/kg 300 µg/kg 300 µg/kg 300 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
		Chickens	200 µg/kg 300 µg/kg 400 µg/kg	Muscle Skin + fat Liver	Not for use in animals from which eggs is produced for human consumption
	Spiramycin 1	Pigs	250 µg/kg 2 000 µg/kg 1 000 µg/kg	Muscle Liver Kidneys	NOTHING
Calcium stearate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium stearate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sodium stearate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Zinc stearate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Stearates of glycol with 8-40 oxyethylene units	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For use as an excipient

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Streptomycin	Streptomycin	Ruminants, pigs, rabbits	500 µg/kg 500 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRLs concern 'skin and fat in natural proportions'.
		Ruminants	200 µg/kg	Milk	
Strychni Sanchez	NOT APPLICABLE	Cattle, sheep, goats	No MRLs required	NOT APPLICABLE	Up to the equivalent of 0.1 mg/kg p.c. of strychnine orally only
Strychnine	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	Up to 0.1 mg/kg orally only p.c.
Substances utilisées dans les médicaments vétérinaires homéopathiques	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand.
Sulfate d'ammonium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sulfate de calcium	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sulfate de cétostéaryle sodique	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Sulfate de cobalt	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Copper sulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Iron sulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHINGNESS
Manganese sulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Magnesium sulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Nickel sulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Zinc sulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sulfogaiacol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sulfonamides (all the substances of the sulfonamides group)	Parental substance	AFPS	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys	The total residues of all substances does not exceed 100 µg/kg For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. Not for use in animals from which eggs is produced for human consumption
		Cattle, sheep, goats	100 µg/kg	Milk	
Symphyti radix	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for topical use on healthy skin

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Syzygium cumini	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Tanninum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Butorphanol tartrate	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	Only intravenously
Ketanserine tartrate	NOT APPLICABLE	Equines	No MRLs required	NOT APPLICABLE	NOTHING
Tau fluvalinate	NOT APPLICABLE	Bees	No MRLs required	NOT APPLICABLE	NOTHING
Teflubenzuron	Teflubenzuron	Salmonids	500 µg/kg	Muscle and skin in natural proportions	NOTHING
Terebinthinae aetheroleum rectificatum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Terebinthinae laricina	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	For topical use only
Terpine	NOT APPLICABLE	Cattle, sheep, goats, pigs	No MRLs required	NOT APPLICABLE	NOTHING
Tetracaine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	To use as anesthetic only
Tetracycline	Sum of the parent compounds and their 4-epimers	AFPS	100 µg/kg 300 µg/kg 600 µg/kg 100 µg/kg 200 µg/kg	Muscle Liver Kidneys Milk Eggs	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for liver and kidneys do not apply to fish.
Theobromine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Theophylline	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Thiabendazole	Sum of thiabendazole and 5-hydroxythiabendazole	Cattle, goats	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Thiamphenicol	Thiamphenicol	AFPS	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys Milk	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs is produced for human consumption
Thiamylal	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	Only intravenously
Thiomersal	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only as a preservative in a multi-dose vaccines maximum concentration of 0.02%
Sodium thiopental	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only intravenously

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Sodium thiosulfate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Threonine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Thuja occidentalis	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per hundred.
Too aetheroleum	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Thymidine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Thymol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Tiamulin	Sum of metabolites that can be hydrolyzed in 8 a-hydroxymutiline	Pigs, rabbits	100 µg/kg 500 µg/kg	Muscle Liver	NOTHING
		Chickens	100 µg/kg 100 µg/kg 1 000 µg/kg	Muscle Skin + fat Liver	
		Turkeys	100 µg/kg 100 µg/kg 300 µg/kg	Muscle Skin + fat Liver	
	Tiamulin	Chickens	1 000 µg/kg	Eggs	
Tiaprost	NOT APPLICABLE	Cattle, sheep, pigs, Equines	No MRLs required	NOT APPLICABLE	NOTHING
Tildipirosin	Tildipirosin	Cattle, goats	400 µg/kg 200 µg/kg 2 000 µg/kg 3 000 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which eggs is produced for human consumption
		Pigs	1 200 µg/kg 800 µg/kg 500 µg/kg 1 000 µg/kg	Muscle Skin and fat in natural proportions Liver Kidneys	NOTHING
Tiliae flos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Tilmicosin	Tilmicosin	Poultry	75 µg/kg 75 µg/kg 1 000 µg/kg 250 µg/kg	Muscle Skin + fat Liver Kidneys	Not for use in animals from which eggs is produced for human consumption For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs, the MRL in fat concerns 'skin and fat in natural proportions'.
		AFPS except poultry	50 µg/kg 50 µg/kg 1 000 µg/kg 1 000 µg/kg 50 µg/kg	Muscle Fat Liver Kidneys Milk	
Timerfonate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only as a preservative in a multi-dose vaccines of a maximum concentration of 0.02%
Toldimfos	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Toltrazuril	Toltrazuril sulfone	AFPS of mammals	100 µg/kg 150 µg/kg 500 µg/kg 250 µg/kg	Muscle Fat Liver Kidneys	For pigs, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs is produced for human consumption.
		Poultry	100 µg/kg 200 µg/kg 600 µg/kg 400 µg/kg	Muscle Skin + fat Liver Kidneys	
Tragacanth	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Trichlormethiazide	NOT APPLICABLE	AFPS of mammals	No MRLs required	NOT APPLICABLE	NOTHING
Triclabendazole	Sum of extractable residues that can be oxidized to ceto-triclabendazole	Ruminants	225 µg/kg 100 µg/kg 250 µg/kg 150 µg/kg 10 µg/kg	Muscle Fat Liver Kidneys Milk	NOTHING
Trimethoprim	Trimethoprim	Equines	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg	Muscle Fat Liver Kidneys	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'. Not for use in animals from which eggs is produced for human consumption.
		AFPS except equine	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Fat Muscle Liver Kidneys Milk	
Trimethylphloroglucinol	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Sorbitan trioleate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Dimanganese trioxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for oral use
Cobalt trioxide	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Magnesium trisilicate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Aluminium tristearate	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Trypsin	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Tryptophan	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Tulathromycin	(2R, 3S, 4R, 5R, 8R, 10R, 11R, 12S, 13s, 14R)-2 - ethyl-3,4,10,13-tetra-hydroxy- 3,5,8,10,12,14-hexamethyl-11-[[3,4,6-trideoxy-3(dimethylamino)-β-d-xylohexopyranosyl]oxy]-1-oxa6-azacyclopent-decan-15one expressed in tulathromycin equivalents	Sheep, goats	450 µg/kg 250 µg/kg 5 400 µg/kg 1 800 µg/kg	Muscle Fat Liver Kidneys	Not for use in animals from which eggs is produced for human consumption.
		Cattle	300 µg/kg 200 µg/kg 4 500 µg/kg 3 000 µg/kg	Muscle Fat Liver Kidneys	
		Pigs	800 µg/kg 300 µg/kg 4 000 µg/kg 8 000 µg/kg	Muscle Skin and fat in the natural proportions Liver Kidneys	

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Turnera diffusa	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Tylosin	Tylosin A	AFPS	100 µg/kg 100 µg/kg 100 µg/kg 100 µg/kg 50 µg/kg 200 µg/kg	Muscle Fat Liver Kidneys Milk Eggs	For fish, the MRL for muscle concerns 'muscle and skin in natural proportions'. The MRLs for fat, the liver and kidneys do not apply to fish. For pigs and poultry, the MRL in fat concerns 'skin and fat in natural proportions'.
Tylvalosin	Sum of tylvalosin and 3-O-acetyltylosine	Pigs	50 µg/kg 50 µg/kg 50 µg/kg 50 µg/kg	Muscle Skin + fat Liver Kidneys	NOTHING
		Poultry	50 µg/kg 50 µg/kg	Skin + fat Liver	
	Tylvalosin	Poultry	200 µg/kg	Eggs	
Tyrosine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Urea	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Erigena maritima	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding in the products not exceeding one part per hundred. Only for oral use
Uridine and its 5'-mono-, - 5'di - and 5'-triphosphates	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Urticae herba	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Valine	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Valnemulin	Valnemulin	Pigs, rabbits	50 µg/kg 50 µg/kg 100 µg/kg	Muscle Liver Kidneys	NOTHING
Vedaprofen	Vedaprofen	Equines	50 µg/kg 20 µg/kg 100 µg/kg 1 000 µg/kg	Muscle Fat Liver Kidneys	NOTHING
Vetrabutine hydrochloride	NOT APPLICABLE	Pigs	No MRLs required	NOT APPLICABLE	NOTHING
Vincamine	NOT APPLICABLE	Cattle	No MRLs required	NOT APPLICABLE	To be used only on the newborn animal
Virginiamycin	Factor Virginiamycin S1	Poultry	10 µg/kg 30 µg/kg 10 µg/kg 60 µg/kg	Muscle Skin and fat Liver Kidneys	Not for use in animals from which eggs is produced for human consumption.

AFPS: All food-producing species

Active substance	Marker residue	Animal species	Maximum residue limits (MRL)	Product or part of target the product	Other provisions
Virola sebifera	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeia at concentrations in the product not exceeding one part per thousand
VISCUM album	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	Only for use in homeopathic veterinary medicinal products prepared according to homeopathic pharmacopoeias at concentrations corresponding to the mother tincture and the dilutions thereof
Vitamin A	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin B 1	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin B 12	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin B 2	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin B 3	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin B 5	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin B 6	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin D	NOT APPLICABLE	AFPS	No MRLs required	NOT APPLICABLE	NOTHING
Vitamin E	NOT APPLICABLE	AFPS	No MRLs required	NOTAPPLICABLE	NOTHING